

# 50kW Isuzu Diesel Generator 3 Phase Water Cooled With 4BG1-Z Engine

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1\*20GP
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T

CHINA

CE ISO

DE-IS69

face to face PLASTIC WRAP

20-30 DAYS

**DELLENT-ISUZU** 

Supply Ability:



## **Product Specification**

Brand:Name:

ISUZU Isuzu Diesel Generator Water Cooling 50HZ

500 PCS PER MONTH

- Frequency:
- Alternator:
- Controller Model:

Cooling System:

- Phase:
- Type:
- Controller:
- Engine Model:
- Prime Power:
- Standby Power:
- Highlight:

Tamford/ Leroy Somer/ Mecc Alte Deepsea/ ComAp/Smartgen Three Phase Diesel Generator

Smartgen DSE

- 4BG1-Z
- 62.5kVA/50kW
- 68.75kVA/55kW
- 50kW Isuzu Diesel Generator, Isuzu Diesel Generator Water Cooled, 50kw 3 Phase Diesel Generator

#### 50HZ 50kW Isuzu Diesel Generator With 4BG1-Z Engine

Commercial ISUZU 50kW Generator, 4BG1-Z Engine Diesel Generator,

Light: CE ISUZU 50kW Generator ,50HZ



### .PRODUCT DESCRIPTION

Product Introduce: Our Isuzu engine diesel generator have all series from 20kva to 106kvaOur Isuzu diesel generators are known for their durability, fuel efficiency, and low maintenance requirements. With Isuzu engines at their core, these generators offer reliable power output that can be trusted for a range of applications. From backup power for homes and businesses to powering construction sites and events, our Isuzu diesel generators deliver the power you need when you need it.

#### **Application fields:**

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations. For example: Healthcare,Data Centers,Telecommunications,Construction,Manufacturing,Oil and Gas,Military,Residential electricity.

#### Advantage of our Isuzu diesel generator :

Complete Isuzu diesel generator which canopy adopts rainproof and corrosion-resistant electrostatic powder coating. After high-temperature baking, it is leveled and solidified to form a dense protective coating, which is both corrosion-resistant and wear-resistant. Silent canopy with 3cm laminated flame-retardant sound-absorbing cotton, rubber sealing strips on door tracks, built-in silencer, all-around protection and mute measures, which effectively reduce noise pollution.

## Product parameters: Specification:

Specification:		
Model		DE-IS69
Max. Power	kVA	69
	kW	55
Rate Power	kVA	63
	kW	50
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	А	90.2
Fuel Tank Capacity	L	120
Technical Data of ISUZU Diesel Engine	:	

Engine Specification					
Engine Manufacturer		Isuzu Engine Co., Ltd.			
Engine Brand		ISUZU			
Engine Model No. of Cylinder Aspiration		4BG1-Z 4 Cylinder in line Turbocharged			
			Governor		Electric
			Engine Max. Output Power	kW	59
Displacement	L	4.3			
Compression Ratio		17.5 : 1			
Starting Voltage	V	12			
Bore	mm	105			
Stroke	mm	125			
Lubrication Oil Capacity	L	N.A.			
Intake Air Flow	M3/Min	N.A.			
Fuel Consumption at 100% Load	L/H	14.92771084			
Control Panel Specification:					
Controller Brand		Smartgen			
Breaker Brand		Delixi			
Breaker Capacity (A)		125			
Battery Charger		Smartgen			
Emergency Stop Button		Supply			
Automatic Mains Fail (AMF)		Supply			
Fuel Level		Supply			
Automatic Transfer Switch		ATS as optional part			

include Start-up fault (génerator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller. . Why Choose Us:









We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



NO.7, JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY, NINGDECITY, FUJIAN.CHINA